



(1)

Supplement No. 1 to Type Examination Certificate

(2)

Equipment or Protective Systems Intended for Use
in Potentially Explosive Atmospheres
(Directive 94/9/EC)

(3) Type Examination Certificate Number:

FTZÚ 07 ATEX 0143X

(4) Equipment: **TR011 series Temperature Sensors**

(5) Manufacturer: **SENSIT s.r.o.**

(6) Address: **Školní 2610, 756 61 Rožnov pod Radhoštěm, Czech Republic**

(7) This supplement of certificate is valid for: - application of new standards
- prolongation of certificate validity

(8) Modification of certified apparatus (protective system) and any of its approved variants are specified in documentation, a list of which is mentioned in the schedule of this certificate.

(9) This supplement to type examination certificate is valid only for type examination of design and construction of product sample in accordance with Annex 3 Paragraph 6) of Directive No. 94/9/EC. The Directive contains other requirements, which manufacturer shall fulfil before products are placed on the market or introduce in service.

(10) Safety requirements of modified parts were fulfilled by satisfying the following standards:

EN 60079-0:2012; EN 60079-15:2010

(11) Marking of equipment shall contain symbols:

 **II 3G Ex nA IIC T6, T5, T3 Gc**

(12) This type examination certificate is valid till: **30.04.2018**

Responsible person:


Dipl. Ing. Lukáš Martinák
Head of Certification Body



Date of issue: 25.04.2013

Page: 1/2

This supplement to certificate is granted subject to the general conditions of the FTZÚ, s.p.
This supplement to certificate may only be reproduced in its entirety and without any change, schedule included.



Physical Technical Testing Institute
Ostrava – Radvanice

(13)

Schedule

(14)

Supplement No. 1 to
Type Examination Certificate N° FTZÚ 07 ATEX 0143X

(15) Description of Equipment:

The Temperature Sensors are recertified according to standards EN 60079-0:2012 and EN 60079-15:2010.

Design of equipment and technical data are without any changes.

(16) Report No.: 07/0143-1

dated 24.04.2013

(17) Special conditions for safe use:

17.1 The apparatus is capable of withstanding only 25% of pulling force test as defined in clause A.2.3.2 of EN 60079-0:2012. Therefore the cable must be protected from pull-off from the device when installed.

(18) Essential Health and Safety Requirements:

18.1 Covered by standards mentioned in (10) of this supplement to certificate.

(19) List of Documentation:

<i>Title</i>	<i>Number</i>	<i>Version</i>	<i>Date</i>	<i>Pages</i>
Instruction for use TG8	3401.1.; 3401.1; 3400.1		03/2013	12
Technical parameters	TR011.T01	C	03/2013	5
Data sheet	14.4.		04/2010	2

Responsible person:

Dipl. Ing. Lukáš Martinák
Head of Certification Body



Date of issue: 25.04.2013

Page: 2/2

This supplement to certificate is granted subject to the general conditions of the FTZÚ, s.p.
This supplement to certificate may only be reproduced in its entirety and without any change, schedule included.